

AJD 110

John Deere
Mecc Alte
P 602



ISO8528

GC ;) &-

SZUTEST

GC - \$\$%

CE

2000/14/EC

&\$\$\$\$#/% #

	"	"	"	"	Amp
400/230	110,00	88,00	100,00	80,00	145,00

• f9GDE • GC () 8

8

ALTERNATOR

TRANSFER SWITCH

AJD 110

John Deere
Mecc Alte
P 602

Manufacturer		John Deere
Model		4045 H
	% \$\$: "# "	%"&Z\$": "
		%" +Z\$< DQ
	L	4,500
	"	106 X127
		17:1
fl # "匕	"# "	1500
fl "匕	L	17,00
	L	32,00
AbsorbedAirDischargeReSourceKey.Text	' # "	7,00
fl ' # "匕	' # "	159,00
	' # "	18,70
	° C	565,00
		12 V d.c.
	Load	%\$!
	# "	+)
) \$
	27,60	19,40
		13,50

		Mecc Alte
		ECP34 - 2S/4
	Hz	50
7 cg	"	105,00
		0,80
		3
fl匕		400/230
	A	151,00

		fl "匕		fl "匕	
AJD 110	1200,00	2150,00	1050,00	1450,00	240,00
	"	" fl "匕	"	" fl "匕	" L
AK 40	1550	3100	1057	1670	240

AJD 110

John Deere
Mecc Alte
P 602

D * \$ & !



- 1 A U]b'gjhj g[X]gd'Um"
- 2 8]gd'UmgWc``Vi Hcb"
- 3 DU[Yf]bZfa UhcbLVi Hcb"
- 4 7ca a cb'U'Ufa 'jbX]Wlhcf"
- 5 Gjhj g@98fj"
- 6 CdYfUhjcb'gYYWb['Vi Hcbg"

!

8G9ža cXY**\$&\$'5i hc'A U]bg: U]i fY'Wblfc`a cXi 'Y"
6UHfYfmVXUf[Yf']bdi h%, !*(j c'hžci hdi h''&+ž' J) '5 f&(J Ecf% ž J c'h) 5 fV&J ž
9a Yf[YbWnghd'di g\ Vi Hcb'UbX Z gYg'Zf'Wblfc'WfW]rg"

!

7 ca dcB Ybhg]bghU'YX]b'g\YYhgH'Y'YbWcgj fY'D\cgd\UH'WYa]W'ždfY!WtUhj['cZgH'Y'dfcj]XYg'Wffcg]cb
fYg]gjhUbhgi fZUW'Dc'nYgH'f'Wt a dgcjH'dck XYf'hdWtUhZfa g'\][\ ['cgg'UbX'Yl'HyA Y'mXi fUVY'Zb]g'"@cW_UVY
UbX'\]b[YX'dUbY'Xccf'dfcj]XYg'YUgmUWVgg'hc'Wt a dcB Ybhg"

!

'7cbfbc'ddUbY']g a ci bH'Y'cb'VUgYZfUa Y'k]h'gH'Y'gjhUbX'"@cWUH'X'UhH'Y'f][\hg]XY'cZH'Y'[YbYfUhcf'gYhfK '\Yb'mci
'cc'_UhH'Y'; Yb"GYH'Zca '5'WfbUhcfL

!

H'Y'8G9**\$&\$'jg'U'gjhUbXUfX'Wblfc`a cXi 'Y'Zf'ci f'[YbYfUhcf'gYhg'j i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
gjhUhUbX'ghcd'X]YgY'UbX'Ug'[YbYfUhcf'gYhg'']H'Y'8G9**\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]hcf[YbYfUhcf
ZfYi YbWzj c'h'WffYbhžYb[]b[Y'c]'dfYggi fY'Z'Wt'c'UbhH'ya dYfUh fY'fi bb]b[\ci fg'UbX'VUH'Yfmj c'hg"A cXi 'Y
a cb]hcf'g'Y' a U]bg'gi dd'mUbX'gk]W'c'j Yf'hc'k'Y[YbYfUhcf'k 'Yb'k'Y'a U]bg'dck Yf'Z]g'"H'Y'8G9**\$&\$'U'g
]bX]WUH'Y'g'cdYfUhcbU'gjhj g'UbX'ZU' h'Wt'bX]hcbg'5i hca UH'W'mg'i hib[Xck b'k'Y'; Yb"GYhUbX'[]]b['hfi Y'Zfghi d
ZU' h'Wt'bX]hcb'cZ; Yb"GYhZ]i fY'H'Y'@7 8'X]gd'Um]bX]WUH'Y'k'Y'ZU' h'

A]WcdfcWggcf'Wblfc'YX"
@7 8'X]gd'Um a U'Yg']bZfa Uhcb'YUgmhc'fYUX"
(!)bYz*(1 % & d]l Y'X]gd'Um'
5i hca UhW'mhUbgZfg VY'k YYb'a U]bg'fli h'mh'UbX' [YbYfUhcf'dck Yf'
A Ubi U'dfc[fUa a]b['cb'ZcbhidUbY"
I gYf'Z]YbX'mgYH'i d'UbX'Vi Hcb'Umci H'
F Ya ch'gjhH'
9j Ybh'c[]b['f] kg'ck]b['XUH'UbX'ha Y'
7 cbfbc'g' Ghcd# YgYhžA Ubi U'z5i hc'zHYgh'GhUfizVi Hcbg"5b'UXX]hcbU'di g\ Vi Hcb'bYi h'c'k'Y'@7 8'X]gd'Um]g
i gYX'hc'gWc'`hfc'i [\h'Y'a cXi 'Ygfa YH'f]b['X]gd'Um]

AJD 110

John Deere
Mecc Alte
P 602

9B; -B9
 9b[]bY'gdYYX"
 C]`dfYggi fy"
 7cc'UbhH'a dYfUh fY"
 F i b H'a Y"
 6UH'Yfmj c`hg"
 7cbZ] i fUV'Y H'a]b["
 ; 9B 9F 5HCF
 J c`HU[Y ffe@ @Bt'
 7 i ffYbhf@%&@ L'
 : fYe i YbWm'
 A 5-BG
 J c`HU[Y ffe@ @Bt'
 : fYe i YbWm'
 A Ujbgi fYUXm'
 A Ujbgi YbUV'YX"
 ; Yb"GYhfyUXm'
 ; Yb"GYhYbUV'YX"

K 5F B-B;
 7 \Uf[Y'ZU]i fy"
 6UH'Yfm@ck #][\j c`HU[Y
 : U]`h`ghcd"
 @ck #][\ [YbYfUhcfj c`HU[Y
 I bXYf@cj Yf[YbYfUhcf ZYei YbWm'
 Cj Yf# bXYf gdYYX"
 @ck c]`dfYggi fy"
 <] \ Wc'UbhH'a dYfUh fY"
 G< I H'8CK BG
 : U]`h`ghd"
 9a Yf[YbWm@ghcd"
 @ck c]`dfYggi fy"
 <] \ Wc'UbhH'a dYfUh fY"
 Cj Yf# bXYf gdYYX"
 I bXYf@cj Yf[YbYfUhcf ZYei YbWm'
 I bXYf@cj Yf[YbYfUhcfj c`HU[Y
 C]`dfYggi fy'gYbgcf cdYb"
 7cc'UbhH'a dYfUh fY'gYbgcf cdYb"
 9@97 HF -7@HF -D
 ; YbYfUhcfj YfW ffYbh


: 'YI JVY gYbgcf WbVY Wtbhfc`YX k]h H'a dYfUh fYz
 dfYggi fy'ZdyfWbH[Y'fk Ufb]b[#g i H'ck b#Y'YMF]W'lf]dL
 @cW'gYH]b[dUFuJa YHfg UbX a cb]hcf]b[Zca D7 h
 Wtbhfc`a cXi Y'k]h'1 G6 WbbYMFcb'fba Ul '*' a H'

9YWJW'GUZYhm#9A 7 Wta dUH[V]Jhm6G'9B '*\$-) \$
 9YWJW'Vi gjbYgg'Ye i]da YbH'
 6G'9B '*%\$!*& 9A 7 ja a i b]hmgUbXufX"
 6G'9B '*%\$!*('9A 7 Ya]gg]cb gUbXufX

'6UH'YfmWUf[Yf]g'a Ubi ZWm' fyX k]h gk]WV]b[!a cXY'UbX'GA 8 H'VWbc'c[mUbX'ih\Ug\][\YZWYbWm'6UH'YfmWUf[Yf
 a cXY'gfici hd i hJ !=WUfUWYflghWg j YfmWcgY 'h`gei UfY'UbX'ci hd i hJ) ua dYfZ% z J Zcf%&j c'hUbX +&z J Zcf& J
 #bd i h%, !&* (j c'h5 7 " Dfc]bY'& \$) `Ug'Z`mc i hd i hg\chWVW]hdfchWVW]cb'UbX'ihWbVY i gYX'Ug'UW ffYbhgc i fW"
 Dfc]bY'& \$) #(& \$) WUf[Yf'Ug\][\YZWYbWm'cb[Z]Z`ck ZU]i fy fUAYZ][\hk Y][\hUbX`ck \YUhfxUJUYX]b
 UWfXUbW'k]h'1]bYUf'UHfbUhj Yg" H'Y WUf[Yf]g ZH'YX k]h'1 U'dfchWVW]cb[X]cXY'UWcggi h'Y ci hd i h'7 cbbYWVWUf[Y'ZU]
 fY'UmW]VYHk YYb dcg]hj Y'ci hd i hUbX'7: ci hd i h'YH'YmUFY Ye i]ddYX k]h'1 F: =ZHYf'hc fYXi W'Y'YMF]W'bc]gY fUX]UHYX
 Zca 'h'YXYj]W"; Uj Ub]W'm]gc'UH'X]bdi hUbX'ci hd i hhd]W'm(_Zcf\][\ fy]UV]Jhm'

AJD 110

John Deere
Mecc Alte
P 602



- 1** Steel structures
 - 2** Emergency stop push button
 - 3** Control panel is right side of the set.
 - 4** Corrosion-resistant locks and hinges
 - 5** Sump drains valves
 - 6** Sound proof foam metarial
 - 7** Lifting Points

	"	1057
fl "七	"	3100
fl "七	"	1670
.	L	240